

## PRICELIST


### Welding wires

**Valid from:** March 31<sup>st</sup>, 2026

Prices in Euro, ex works, excl. VAT and shipping



#### Accessories

<input type="checkbox"/>	<b>100 812</b>	<b>NEW: Welding wire feeder WIRE PEN</b>	<b>€ 89.90</b>
		<p>The practical tool for feeding welding wire. Suitable for welding wires of every available alloy with a diameter between 0.2 and 0.6 mm</p>	

#### Welding wires for gold alloys

<input type="checkbox"/>	<b>304 340</b>	<b>Au 750 Y</b> Yellow gold Au 750/000 – 18 kt 500 mm x 0.25 mm (19.7" x 0.01")	<b>€ 118.00</b>
<input type="checkbox"/>	<b>304 341</b>	<b>Au 585 Y</b> Yellow gold Au 585/000 – 14 kt 500 mm x 0.25 mm (19.7" x 0.01")	<b>€ 85.00</b>
<input type="checkbox"/>	<b>304 342</b>	<b>Au 750 Pd</b> White gold Au 750/000 – 18 kt 500 mm x 0.25 mm (19.7" x 0.01")	<b>€ 127.00</b>
<input type="checkbox"/>	<b>304 347</b>	<b>NEW: Au 585 Pd</b> White gold Au 585/000 – 14 kt 500 mm x 0.25 mm (19.7" x 0.01")	<b>€ 95.00</b>
<input type="checkbox"/>	<b>304 351</b>	<b>Au 750 Red</b> Red gold Au 750/000 – 18 kt 500 mm x 0.25 mm (19.7" x 0.01")	<b>€ 116.00</b>
<input type="checkbox"/>	<b>304 353</b>	<b>Au 585 Red</b> Red gold Au 585/000 – 14 kt 500 mm x 0.25 mm (19.7" x 0.01")	<b>€ 79.00</b>

<input type="checkbox"/>	<b>304 355</b>	<b>Au 750 Rosé</b> Rose gold Au 750/000 – 18 kt 500 mm x 0.25 mm (19.7" x 0.01")	€ 118.00
<input type="checkbox"/>	<b>304 357</b>	<b>Au 585 Rosé</b> Rose gold Au 585/000 – 14 kt 500 mm x 0.25 mm (19.7" x 0.01")	€ 82.00

#### Welding wire platinum

---

<input type="checkbox"/>	<b>304 343</b>	<b>Pt 960 C</b> Platinum Pt 960/000 500 mm x 0.25 mm (19.7" x 0.01")	€ 91.00
--------------------------	----------------	---	---------

#### Welding wires silver

---

<input type="checkbox"/>	<b>304 344</b>	<b>Ag 970</b> Silver Ag 970/000 1000 mm x 0.35 mm (39.4" x 0.014")	€ 9.00
<input type="checkbox"/>	<b>304 346</b>	<b>Ag 970</b> Silver Ag 970/000 2000 mm x 0.25 mm (78.7" x 0.01")	€ 9.00

#### Special welding wires for silver alloys

---

<input type="checkbox"/>	<b>304 348</b>	<b>Silver JSS</b> Argentium 935 2000 mm x 0.25 mm (78.7" x 0.01")	€ 10.00
<input type="checkbox"/>	<b>304 349</b>	<b>Silver JSS</b> Argentium 935 2000 mm x 0.35 mm (78.7" x 0.014")	€ 16.00
<input type="checkbox"/>	<b>304 350</b>	<b>Silver JSS</b> Argentium 935 2000 mm x 0.45 mm (78.7" x 0.018")	€ 24.00

#### Welding wires for repairs / for alloys difficult to weld

---

<input type="checkbox"/>	<b>304 330</b>	<b>PdAg 500</b> Palladium silver PdAg 500/000 500 mm x 0.40 mm (19.7" x 0.016")	€ 55.00
<input type="checkbox"/>	<b>304 331</b>	<b>PdAg 500</b> Palladium silver PdAg 500/000 500 mm x 0.25 mm (19.7" x 0.01")	€ 28.00

### Welding wire titanium

---

<input type="checkbox"/>	<b>304 310</b>	<b>Ti</b> Fine titanium 1000 mm x 0.30 mm (39.4" x 0.012")	€	<b>12.94</b>
--------------------------	----------------	---	---	--------------

### Welding wires for copper materials

---

<input type="checkbox"/>	<b>304 312</b>	<b>Cu C45</b> Cu-Si3-Mn1 2000 mm x 0.35 mm (78.7" x 0.014")	€	<b>11.39</b>
<input type="checkbox"/>	<b>304 313</b>	<b>Cu C45</b> Cu-Si3-Mn1 2000 mm x 0.50 mm (78.7" x 0.02")	€	<b>11.90</b>
<input type="checkbox"/>	<b>304 314</b>	<b>Cu C45</b> Cu-Si3-Mn1 2000 mm x 0.70 mm (78.7" x 0.027")	€	<b>12.94</b>

### Welding wire tin

---

<input type="checkbox"/>	<b>304 328</b>	<b>Sn</b> Fine tin 99.9% 100 g x 0.75 mm (3.53 oz x 0.030")	€	<b>13.46</b>
--------------------------	----------------	--	---	--------------

### Welding wire nickel-based alloy

---

<input type="checkbox"/>	<b>304 329</b>	<b>NiCrMo15</b> Nickel-based alloy 1000 mm x 0.40 mm (39.4" x 0.016")	€	<b>16.04</b>
--------------------------	----------------	--	---	--------------

### Welding wires for steels

---

<input type="checkbox"/>	<b>304 320</b>	<b>Stainless steel CMS</b> welding of CrNi steels such as 1.4301, 1.4401, 1.4435, 1.4571 1000 mm x 0.40 mm (39.4" x 0.016")	€	<b>12.94</b>
<input type="checkbox"/>	<b>304 359</b>	<b>Stainless steel 316L</b> build-up welding on same or similar steels recommended base materials e.g.: 1.4401, 1.4404, 1.4500, 1.4505, 1.4539, 1.4585 1000 mm x 0.30 mm (39.4" x 0.012")	€	<b>9.70</b>
<input type="checkbox"/>	<b>304 360</b>	<b>Stainless steel 316L</b> 1000 mm x 0.50 mm (39.4" x 0.02")	€	<b>14.00</b>

<input type="checkbox"/>	<b>304 321</b>	<b>Steel GS2</b> for hard facing applications – 58 HRC 1000 mm x <b>0.20 mm</b> (39.4" x 0.008")	€	<b>16.56</b>
<input type="checkbox"/>	<b>304 363</b>	<b>Steel GS2</b> for hard facing applications – 58 HRC 1000 mm x <b>0.50 mm</b> (39.4" x 0.02")	€	<b>20.55</b>
<input type="checkbox"/>	<b>304 322</b>	<b>Steel GS55</b> highly wear-resistant applications – 61 HRC 1000 mm x <b>0.20 mm</b> (39.4" x 0.008")	€	<b>16.56</b>
<input type="checkbox"/>	<b>304 364</b>	<b>Steel GS55</b> highly wear-resistant applications – 61 HRC 1000 mm x <b>0.50 mm</b> (39.4" x 0.02")	€	<b>20.55</b>

#### Welding wires for aluminium alloys

<input type="checkbox"/>	<b>304 325</b>	<b>Aluminium ALMG3</b> for applications on AlMg alloys up to 3 % Mg 2000 mm x 0.50 mm (78.7" x 0.02")	€	<b>8.80</b>
<input type="checkbox"/>	<b>304 326</b>	<b>Aluminium ALSI</b> for applications on AlSi alloys up to 12 % Si 2000 mm x 0.50 mm (78.7" x 0.02")	€	<b>8.80</b>
<input type="checkbox"/>	<b>304 362</b>	<b>Aluminium AlSi12</b> specification Al4047, for build-up welding on same or similar base materials very crackproof weld metal 1000 mm x 0.40 mm (39.4" x 0.016")	€	<b>15.95</b>

PLEASE NOTE: We reserve the right to adjust our prices at any time!