
PRICELIST
Welding wires

Valid from: November 25, 2026
Prices in Euro, ex works, excl. VAT and shipping





Accessories

☐	**100 812**		**NEW: Welding wire feeder WIRE PEN** The practical tool for feeding welding wire. Suitable for welding wires of every available alloy with a diameter between 0.2 and 0.6 mm	**€ 89.90**

Welding wires for gold alloys

☐	**304 340**	**Au 750 Y** Yellow gold Au 750/000 – 18 kt 500 mm x 0.25 mm (19.7" x 0.01")	**€ 99.00**
☐	**304 341**	**Au 585 Y** Yellow gold Au 585/000 – 14 kt 500 mm x 0.25 mm (19.7" x 0.01")	**€ 71.00**
☐	**304 342**	**Au 750 Pd** White gold Au 750/000 – 18 kt 500 mm x 0.25 mm (19.7" x 0.01")	**€ 106.00**
☐	**304 347**	**NEW: Au 585 Pd** White gold Au 585/000 – 14 kt 500 mm x 0.25 mm (19.7" x 0.01")	**€ 78.00**
☐	**304 351**	**Au 750 Red** Red gold Au 750/000 – 18 kt 500 mm x 0.25 mm (19.7" x 0.01")	**€ 96.00**
☐	**304 353**	**Au 585 Red** Red gold Au 585/000 – 14 kt 500 mm x 0.25 mm (19.7" x 0.01")	**€ 67.00**

☐	**304 355**	**Au 750 Rosé** Rose gold Au 750/000 – 18 kt 500 mm x 0.25 mm (19.7" x 0.01")	**€**	**99.00**
☐	**304 357**	**Au 585 Rosé** Rose gold Au 585/000 – 14 kt 500 mm x 0.25 mm (19.7" x 0.01")	**€**	**69.00**

Welding wire platinum

☐	**304 343**	**Pt 960 C** Platinum Pt 960/000 500 mm x 0.25 mm (19.7" x 0.01")	**€**	**66.00**

Welding wires silver

☐	**304 344**	**Ag 970** Silver Ag 970/000 1000 mm x 0.35 mm (39.4" x 0.014")	**€**	**9.00**
☐	**304 346**	**Ag 970** Silver Ag 970/000 2000 mm x 0.25 mm (78.7" x 0.01")	**€**	**9.00**

Special welding wires for silver alloys

☐	**304 348**	**Silver JSS** Argentium 935 2000 mm x 0.25 mm (78.7" x 0.01")	**€**	**10.00**
☐	**304 349**	**Silver JSS** Argentium 935 2000 mm x 0.35 mm (78.7" x 0.014")	**€**	**16.00**
☐	**304 350**	**Silver JSS** Argentium 935 2000 mm x 0.45 mm (78.7" x 0.018")	**€**	**24.00**

Welding wires for repairs / for alloys difficult to weld

☐	**304 330**	**PdAg 500** Palladium silver PdAg 500/000 500 mm x 0.40 mm (19.7" x 0.016")	**€**	**43.00**
☐	**304 331**	**PdAg 500** Palladium silver PdAg 500/000 500 mm x 0.25 mm (19.7" x 0.01")	**€**	**22.00**

Welding wire titanium

☐	**304 310**	**Ti** Fine titanium 1000 mm x 0.30 mm (39.4" x 0.012")	**€ 12.94**

Welding wires for copper materials

☐	**304 312**	**Cu C45** Cu-Si3-Mn1 2000 mm x 0.35 mm (78.7" x 0.014")	**€ 11.39**
☐	**304 313**	**Cu C45** Cu-Si3-Mn1 2000 mm x 0.50 mm (78.7" x 0.02")	**€ 11.90**
☐	**304 314**	**Cu C45** Cu-Si3-Mn1 2000 mm x 0.70 mm (78.7" x 0.027")	**€ 12.94**

Welding wire tin

☐	**304 328**	**Sn** Fine tin 99.9% 100 g x 0.75 mm (3.53 oz x 0.030")	**€ 13.46**

Welding wire nickel-based alloy

☐	**304 329**	**NiCrMo15** Nickel-based alloy 1000 mm x 0.40 mm (39.4" x 0.016")	**€ 16.04**

Welding wires for steels

☐	**304 320**	**Stainless steel CMS** welding of CrNi steels such as 1.4301, 1.4401, 1.4435, 1.4571 1000 mm x 0.40 mm (39.4" x 0.016")	**€ 12.94**
☐	**304 359**	**Stainless steel 316L** build-up welding on same or similar steels recommended base materials e.g.: 1.4401, 1.4404, 1.4500, 1.4505, 1.4539, 1.4585 1000 mm x 0.30 mm (39.4" x 0.012")	**€ 9.70**
☐	**304 360**	**Stainless steel 316L** 1000 mm x 0.50 mm (39.4" x 0.02")	**€ 14.00**

☐	**304 321**	**Steel GS2** for hard facing applications – 58 HRC 1000 mm x 0.20 mm (39.4" x 0.008")	**€**	**16.56**
☐	**304 363**	**Steel GS2** for hard facing applications – 58 HRC 1000 mm x 0.50 mm (39.4" x 0.02")	**€**	**20.55**
☐	**304 322**	**Steel GS55** highly wear-resistant applications – 61 HRC 1000 mm x 0.20 mm (39.4" x 0.008")	**€**	**16.56**
☐	**304 364**	**Steel GS55** highly wear-resistant applications – 61 HRC 1000 mm x 0.50 mm (39.4" x 0.02")	**€**	**20.55**

Welding wires for aluminium alloys

☐	**304 325**	**Aluminium ALMG3** for applications on AlMg alloys up to 3 % Mg 2000 mm x 0.50 mm (78.7" x 0.02")	**€**	**8.80**
☐	**304 326**	**Aluminium ALSI** for applications on AlSi alloys up to 12 % Si 2000 mm x 0.50 mm (78.7" x 0.02")	**€**	**8.80**
☐	**304 362**	**Aluminium AlSi12** specification Al4047, for build-up welding on same or similar base materials very crackproof weld metal 1000 mm x 0.40 mm (39.4" x 0.016")	**€**	**15.95**

PLEASE NOTE: We reserve the right to adjust our prices at any time!